

Directed Energy Deflection Laboratory Measurements



For DE-STARLITE Planetary Defense System

Travis Brashears⁽¹⁾, Philip Lubin⁽¹⁾, Gary B. Hughes⁽²⁾, Peter Meinhold⁽¹⁾, Jonathan Suen⁽¹⁾, Payton Batliner⁽¹⁾, Caio Motta⁽¹⁾, Janelle Griswold⁽¹⁾, Miikka Kangas⁽¹⁾, Isabella Johansson⁽¹⁾, Yusuf Alnawakhtha⁽¹⁾, Alex Lang⁽¹⁾, and Jonathan Madajian⁽¹⁾ (1) Physics Department, University of California, Santa Barbara, ⁽²⁾California Polytechnic State University, Statistics Department

Abstract

We report on laboratory studies of the effectiveness of directed energy planetary defense as a part of the DE-STAR (Directed Energy System for Targeting of Asteroids and exploRation) We report on laboratory studies of the effectiveness of directed energy planetary defense as a part of the DE-STAR (Directed Energy System for Targeting of Asteroids and exploRation) program. DE-STAR [1] and DE-STARLTE [2] are directed energy "stand-off" and "stand-on" programs, respectively. These systems consist of a modular array of kilowatt-class lasers powered by photovoltaics, and are capable of heating a spot on the surface of an asteroid to the point of vaporization. Mass ejection, as a plume of evaporated material, creates a reactionary thrust capable of heating the asteroid's orbit. In a series of papers, we have developed a theoretical basis and described numerical simulations for determining the thrust produced by material evaporating from the surface of an asteroid. [1][2][3][4] In the DE-STAR concept, the asteroid itself is used as the deflection "propellant". We constructed a vacuum chamber to simulate space conditions, and installed a custom torsion balance that holds an "asteroid" sample. The sample is illuminated with a fiber array laser with flux levels up to 60 MW/m² which allows us to simulate a mission level flux but on a small scale. We use a separate laser to readout the angular motion and can thus determine the thrust. We compare the measured thrust to the models. Our theoretical models indicate a coupling coefficient well in excess of 100 μ N/W_{optical} and then degrade this with a optical "encircled energy" efficiency of 0.75 to 60 μ N/W_{optical} in our deflection modeling. Ours measurements discussed here yield about 45 μ N/W_{absorbed} as a reasonable lower limit.


Research Background

The DE-STAR concept is envisioned as an orbiting system consisting of a modular array of phaselocked lasers powered by photovoltaics.

The multi-purpose system is capable of planetary defense against asteroids that are projected to collide with the Earth.



The laser produces a spot on the target that heats the surface at the spot to a temperature great enough to vaporize all known constituent materials. The vaporization consequently creates a reactionary force that diverts the asteroid.




Miss distance vs. laser on time for orbital simulation at 60 µN/W absorbed including beam efficiency.

DE-STARLITE is near term feasible and fundable mission. It is a smaller, stand-on version of the larger mission. DE-STARLITE is designed to be sent to the target on an SLS class launcher. [2]




2D Analytic Modeling

Using DE-STARLITE we assume more conservative numbers for system performance, typically 80 $\mu N/W_{optical}$ though our calculations show the coupling to be between 100 and 500 μ N/w_{optical} depending on the asteroid material composition and the laser flux on target we use. [4]



2D analytic model results using SiO₂ as the equivalent material. (a) Integrated mass ejection rates vs. sigma case for different powers between 1 kW and 1 MW. (b) Similarly, integrated thrust (N) per watt vs. sigma




Stainless steel torsion fiber

- Eddy current dampening
- Adjustable counter weights

When a thrust is applied to the end of the torsion balance the measurement laser moves along the detector and outputs a voltage proportional to the displacement.

19 element laser array with max power of 40 Watts, operating at 808nm. The beam passes through an outer quartz vacuum window, through an inner quartz blast shield, and strikes the sample, ablating it.




Optical Power Degradation

- 1. Blast debris quickly builds up on the inner quartz shield. We get a 40% - 70% loss from this effect.
- 1. Laser has to pass through two uncoated quartz which results in a 15% overall loss assuming no blast debris on the inner quartz blast shield window.
- As the surface is ablated the actual target location moves into the sample. However, our laser is not focused on this new location leading to loss of flux delivered to the sample.

Acknowledgments and References


We gratefully acknowledge funding from the NASA California Space Grant NASA NNX10AT93H in support of this research



Our measurements of thrust become a lower limit to what will be encountered in a real target. Thus our measurements are extremely conservative compared to what can be achieved in an optimized system.

Ablation Photos and Video

Below are a variety of images taken while ablating at low pressure. Pictures show the environment at the surface of the basalt target while ablating. There is bubbling, mass ejecta, sparks, and plume clouds:



Video containing multiple clips of laser ablation is here:

Conclusion and Future Works

We have shown that directed energy mitigation of asteroids is a feasible method of deflecting threats and that laboratory measurements of this approach is reasonably consistent with our analytic and numerical simulations. Much more work is needed to explore optimizing the system performance. In the future we will increase the chamber size, increase the laser power, optimize the optics to increase the flux and further automate the system. We will also have a real time servo controlled focusing system to optimize the thrust. There are numerous system diagnostics that need to be implemented including ejecta and beam profiling.

ats VIII

, Riley, J., Savian, N., Chyton-Warwick, D., Wu, J., Milich, A., Oleson, M., Pryor, M., Krogen, P., Kangas, M., and O'Neill, H. "Toward Directed Energy Planetary Defense," Optical Engine iley, J., Griswold, J., Cook, B.V., Johansson, I.E., Zhang, Q., Walsh, K., Melis, C., Kangas, M., Bible, J., Mota, Brashears, T., Mathew, S. and Bollag, J. "DE-STARLITE - a practical pla ol. 53, No. 2, pp 025103-1 to y., Buolitz, J., Antola, J., P., Hughes, G.B., O'Neill David A. Cardimona, Proc. wold, J., Bozinni, D., O'N 1014). n, J., Bible, J., Riley, J., Johansson, I.E., Pryor, M. and Kangas, M. "Optical modeling for a laser phased-array directed energy system (Invited Paper)," Nanophoto ics and Macrophotonics for Space Environ nents VIII, edited by Edward W. Taylor, David A. Cardimona, Proc. of SPIE Vol. eva, T., Griswold, J., Lubin, P., Hughes, G.B., O'Neill, H., Meinhold, P., Suen, J., Zhang, Q., J., Riley, J. Walsh, K., Brashears, T., Bollag, J., Mathew, S. and Bible, J. "Effects of asteroid rotation on directed energy deflection," Nanophotonics and Macrophotonics for Space Environments 1111, edited by Edward W. Taylor, David A. Cardim